



Scientific Name

Phalaris aquatica



PRODUCT INFORMATION

Stockman is the ultimate phalaris bred by crossing the traditional Australian cultivar with Holdfast phalaris.

Key Features

- Ideal base for perennial pastures
- More winter active than traditional types
- Improved dry matter production
- Excellent performance in poorly drained and waterlogged soils
- Tolerates acid soils well compared to traditional cultivars

Plant Characteristics

- Semi-erect type
- Tussock forming grass which can recruit new seedlings

Activity

Stockman is a winter active variety.

Where can I grow it?

- Tolerates a wide range of conditions and climates
- Very persistent

Seed Size

650,000 seeds per kg

(Source: *Pasture varieties used in NSW 2006-2007*, Bev Zurbo, 2006)

Soil Type

Stockman is suited to a wide range of soil types and will tolerate waterlogging and salinity. While phalaris is not known to be acid soil tolerant, Stockman is grown and persists in such conditions.

Fertility

Good base rates of phosphorus are necessary for maximum DM production especially during establishment phase. DM production is directly related to nitrogen availability. Consult your Upper Murray Seeds agronomist or fertiliser advisor for nitrogen application rates. Phalaris responds well to products such as gibberillic acid to increase winter production.

Sowing

Due to being a fine seed, phalaris should be sown at 4-6 kg/ha alone or 1-3kg/ha when combined with another grass. Sow into a weed-free seedbed no deeper than 1cm. Rolling the seedbed after sowing will aid establishment. To minimise competition to seedlings as they establish avoid sowing in combination with vigorous grass species such as ryegrass.

Phalaris is also suitable for broadcast sowing (aerial or spread) but to improve seed-soil contact, roll the paddock after sowing. It is advisable to treat seed with ant insecticide to reduce seed theft if rolling broadcast seed is not possible (eg steep hill conditions).

PRODUCT INFORMATION



Phalaris is best sown in autumn as the optimum temperature for seedling establishment is 15°-20°C. In districts with good levels of summer moisture, early spring sowings are also possible.

Disease and Pest Management

During emergence it is essential to monitor regularly for damage from insects such as RLEM and lucerne flea, and spray as required. Inspect during early stand life for populations of black-headed cockchafer and slugs. Contact your Upper Murray Seeds agronomist for spray application rates.

Weed Control

Phalaris is a slow establishing species so early weed control is crucial to long term viability of the stand. Always use knockdown herbicide to ensure you are sowing into a clean seedbed. Monitor for post-emergent weeds and spray as required. Use options such as spray-grazing for broadleaf weeds once the stand is established.

Grazing

Once established Stockman phalaris can be crash-grazed to a height of 10cm to encourage tillering and control weeds. It should be allowed to set seed prior to further intense grazing or cutting. By allowing the phalaris to flower, the plant can develop the buds and underground tubers which build carbohydrate supplies and improve long-term persistence. Once the Stockman stand has become dormant over summer, the dry residues should be lightly grazed to provide room for annual legumes to re-establish next autumn.

Feed Quality


Phalaris is generally underrated for production. Stockman phalaris will provide nutritious feed throughout autumn, winter and spring. Maintain pasture quality by regular grazing and by sowing in combination with annual or perennial clovers.

Animal Health

Any mature phalaris stand can potentially cause poisoning therefore livestock management is critical. Avoid grazing short, vigorously growing fresh pick (ie after a summer storm) or phalaris seed heads.

To optimise livestock weight gain and health, ensure livestock are vaccinated and drenched. To prevent nutritional problems, make gradual diet changes when introducing hungry stock to lush pastures.

Phalaris, Replicated Dry Matter Trial



2 | Stockman Phalaris

www.uppermurrayseeds.com.au

DISCLAIMER: All information provided is intended as a guide only. Upper Murray Seeds has taken all due care to ensure the included information is accurate and use of this information is at the user's sole discretion and risk. Varying environmental conditions may alter the performance of products and plants. The sowing rates provided are a guide only. You should refer to your agronomist or advisor for sowing rates suited to your particular situation.

